## 2020 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

		High Schools		Mic	idle Schools			r/Senior Higl Schools	h	A	All Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Physical education and physical activity	33.4	23.1 - 45.6	59	43.6	36.3 - 51.2		27.9	16.8 - 42.4	33	38.5	33.0 - 44.3	
b.	Nutrition	34.8	23.3 - 48.3	59	40.2	32.9 - 48.0	130	30.6	18.7 - 45.9	33	37.3	31.6 - 43.4	222
c.	Tobacco-use prevention	44.7	32.3 - 57.9	59	35.4	27.5 - 44.2	130	27.7	15.5 - 44.5	33	36.7	30.5 - 43.3	222
d.	Alcohol- and other drug-use prevention	46.5	33.6 - 59.9	59	34.0	26.3 - 42.7	130	27.7	15.5 - 44.5	33	36.3	30.2 - 42.9	222
e.	Chronic health conditions (e.g., asthma, food allergies)	28.2	18.6 - 40.4	59	25.9	20.1 - 32.7	130	19.0	8.7 - 36.6	33	25.5	20.7 - 30.9	222
f.	Unintentional injury and violence prevention (safety)	24.1	15.1 - 36.3	59	26.9	20.2 - 35.0	130	25.4	13.8 - 41.9	33	26.0	20.7 - 31.9	222
g.	Sexual health, including HIV, other STD, and pregnancy prevention	27.9			15.0	10.4 - 21.2	130	18.0	8.3 - 34.8	33	18.9	14.6 - 24.1	222

# 2020 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

		High Schools		Mic	dle Schools		Junio	or/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Health education	24.8	15.1 - 38.0	53	23.7	17.2 - 31.7	107	26.0	13.2 - 44.8	30	24.4	19.0 - 30.6	190
b.	Physical education	25.5	16.0 - 38.1	53	26.2	19.5 - 34.3	107	26.4	13.7 - 44.7	30	26.1	20.7 - 32.3	190
c.	Physical activity	17.6	9.4 - 30.6	53	28.2	21.1 - 36.6	107	22.8	11.4 - 40.4	30	24.4	19.1 - 30.6	190
d.	School meal programs	22.7	13.7 - 35.3	53	28.9	22.7 - 36.0	107	32.0	17.5 - 51.2	30	27.7	22.4 - 33.6	190
e.	Foods and beverages available at school outside the school meal programs	20.9	12.4 - 33.1	53	18.9	12.8 - 27.1	107	19.6	8.8 - 37.9	30	19.6	14.7 - 25.6	190
f.	Health services	36.6	25.3 - 49.7	53	24.6	17.6 - 33.2	107	29.3	15.6 - 48.1	30	28.7	22.9 - 35.2	190
g.	Counseling, psychological, and social services	70.5	57.3 - 81.0	53	52.1	43.3 - 60.8	107	50.1	33.6 - 66.6	30	56.9	50.2 - 63.3	190
h.	Physical environment	51.2	38.3 - 64.0	53	35.9	28.2 - 44.4	106	35.8	22.3 - 52.1	30	40.1	33.9 - 46.7	189
i.	Social and emotional climate	75.3	62.4 - 84.9	53	72.4	63.8 - 79.6	107	58.7	43.8 - 72.2	30	70.9	64.7 - 76.5	190
j.	Family engagement	68.4	58.2 - 77.1	53	76.6	69.3 - 82.6	107	55.0	39.1 - 70.0	30	70.8	65.2 - 75.8	190
k.	Community involvement	72.3	60.8 - 81.5	53	75.9	67.7 - 82.5	107	55.0	39.1 - 70.0	30	71.5	65.4 - 76.8	190
1.	Employee wellness	42.3	30.4 - 55.1	53	38.7	30.9 - 47.1	106	26.2	13.2 - 45.2	30	37.6	31.5 - 44.1	189

# 2020 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

Н	igh Schools		Mic	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
44.8	32.6 - 57.7	48	47.8	39.2 - 56.4	102	45.3	28.0 - 63.9	24	46.6	40.0 - 53.4	174

<sup>\*</sup>Among schools that engaged in an improvement planning process during the past year. N = Unweighted number of observations

# 2020 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

		High Schools		Mic	ddle Schools		Junio	r/Senior Higl Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Reviewed district's local wellness policy	69.4	55.9 - 80.2	54	78.2	71.0 - 84.0	122	75.3	59.5 - 86.4	29	75.5	69.7 - 80.5	205
b.	Helped revise district's local wellness policy	50.4	37.6 - 63.2	54	48.8	41.0 - 56.6	122	59.0	42.6 - 73.6	29	50.7	44.5 - 56.9	205
c.	Communicated to school staff about district's local wellness policy	65.8	53.7 - 76.2	54	74.3	66.1 - 81.1	122	72.1	55.5 - 84.3	29	71.8	65.7 - 77.2	205
d.	Communicated to parents and families about district's local wellness policy	62.5	49.7 - 73.7	54	63.2	54.6 - 71.1	121	51.3	33.9 - 68.4	29	61.3	54.7 - 67.5	204
e.	Communicated to students about district's local wellness policy	62.4	48.8 - 74.3	54	54.8	46.2 - 63.2	121	48.0	31.0 - 65.4	29	55.8	49.1 - 62.3	204
f.	Measured school's compliance with district's local wellness policy	58.5	44.4 - 71.4	54	52.2	44.5 - 59.7	121	47.9	32.6 - 63.7	29	53.2	46.9 - 59.4	204
g.	Developed an action plan that describes steps to meet requirements of district's local wellness policy	47.3	35.5 - 59.5	54	40.6	33.3 - 48.4	121	37.6	22.7 - 55.2	29	41.9	36.0 - 48.1	204

# 2020 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

Н	igh Schools		Mic	ddle Schools		Junior/Se	nior High Scl	ools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
70.7	59.6 - 79.9	55	81.0	74.4 - 86.2	123	85.8	67.8 - 94.6	27	78.9	73.7 - 83.3	205	

## 2020 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
34.9	24.6 - 46.9	55	45.9	39.9 - 52.1	122	39.5	25.0 - 56.0	28	42.1	37.0 - 47.4	205

# 2020 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

		High Schools		Mie	dle Schools		Junio	or/Senior High Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Identified student health needs based on a review of relevant data	78.1	56.4 - 90.8	19	78.1	65.4 - 87.0	55	100.0	†	11	81.0	71.7 - 87.8	85
b.	Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	79.7	58.6 - 91.6	19	85.2	73.6 - 92.3	55	82.6	55.8 - 94.7	11	83.6	74.8 - 89.8	85
c.	Sought funding or leveraged resources to support health and safety priorities for students and staff	68.6	47.7 - 83.9	19	59.5	48.2 - 69.9	55	83.0	56.5 - 94.9	11	64.7	55.7 - 72.7	85
d.	Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	84.9	62.8 - 94.9	19	83.5	72.0 - 90.9	55	100.0	†	11	86.0	77.5 - 91.7	85
e.	Reviewed health-related curricula or instructional materials	73.0	51.7 - 87.3	19	74.5	63.4 - 83.2	55	82.7	52.3 - 95.4	11	75.3	66.3 - 82.5	85

<sup>\*</sup>Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# 2020 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

		High Schools		Mic	ddle Schools			r/Senior Hig Schools	h	A	Il Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Included before- or after-school settings as part of the School Improvement Plan	37.8	25.6 - 51.6	54	48.3	39.3 - 57.5	107	44.6	28.6 - 61.8	26	44.8	38.0 - 51.7	187
b.	Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	37.1	25.3 - 50.6	55	46.4	38.5 - 54.5	120	25.2	14.0 - 41.1	27	41.0	34.9 - 47.3	202
c.	Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	33.8 24.6 - 44.4 55		38.2	31.3 - 45.7	119	32.8	17.5 - 52.9	27	36.3	30.8 - 42.1	201	

## 2020 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

H	High Schools			ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
50.3	39.6 - 61.1	55	13.7	9.3 - 19.8	120	54.3	40.3 - 67.7	28	29.3	24.9 - 34.2	203

## 2020 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

		High Schools		Mic	ddle Schools		Junio	or/Senior High Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	83.9	71.9 - 91.4	55	68.7	61.1 - 75.5	119	85.6	73.7 - 92.6	27	75.2	69.6 - 80.0	201
b.	Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	55	88.2	81.7 - 92.6	120	96.6	82.8 - 99.4	27	92.5	88.5 - 95.2	202
c.	Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	84.1	75.7 - 90.0	55	67.3	60.7 - 73.3	120	74.9	57.9 - 86.6	27	72.9	68.0 - 77.3	202
d.	Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	54.0	43.3 - 64.4	55	37.4	29.1 - 46.5	119	38.5	23.0 - 56.7	27	42.1	35.8 - 48.6	201
e.	Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	61.3	50.5 - 71.2	55	44.9	36.9 - 53.2	120	45.1	28.9 - 62.5	27	49.4	43.3 - 55.5	202

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

## 2020 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
85.7	76.2 - 91.8	55	88.1	82.0 - 92.3	120	70.9	51.1 - 85.0	28	85.0	80.0 - 88.9	203

## 2020 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.4	88.0 - 99.0	55	96.8	92.3 - 98.7	120	82.4	64.3 - 92.4	28	94.6	90.9 - 96.9	203

## 2020 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

H	High Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
93.0	83.9 - 97.2	55	88.5	82.6 - 92.6	120	100.0	†	27	91.3	87.3 - 94.2	202

## 2020 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.\*

		High Schools		Mic	dle Schools		Junio	or/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Sixth grade	§	§	§	88.1	81.6 - 92.5	106	-	-	10	88.4	82.3 - 92.6	116
b.	Seventh grade	§	§	§	82.6	76.7 - 87.2	114	-	-	17	80.8	74.8 - 85.6	131
c.	Eighth grade	§	§	§	81.6	75.4 - 86.5	114	-	-	18	78.5	72.5 - 83.4	132
d.	Ninth grade	63.4	52.9 - 72.8	54	-	-	0	77.7	58.0 - 89.9	24	68.0	58.8 - 76.0	78
e.	Tenth grade	31.3	22.1 - 42.1	52	§	§	§	33.0	17.3 - 53.8	24	31.9	23.4 - 41.7	76
f.	Eleventh grade	25.2	16.4 - 36.7	52	§	§	§	29.1	14.3 - 50.1	24	26.5	18.3 - 36.6	76
g.	Twelfth grade	25.2	16.4 - 36.7	52	§	§	§	29.1	14.3 - 50.1	24	26.5	18.3 - 36.6	76

<sup>\*</sup>Among schools with students in that grade.

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>§</sup> Grade is not applicable for type of school.

N = Unweighted number of observations

## 2020 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

H	High Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
58.6	47.4 - 69.1	54	70.3	62.8 - 76.9	119	70.1	55.4 - 81.6	29	67.2	61.5 - 72.4	202

# 2020 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

		High Schools		Mic	ldle Schools		Junio	or/Senior Hig Schools	h	A	Il Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	76.7	66.8 - 84.4	54	77.0	69.6 - 83.1	118	86.7	76.9 - 92.7	29	78.4	73.3 - 82.7	201
b.	Require physical education teachers to follow a written physical education curriculum	74.6	65.0 - 82.3	54	71.9	64.1 - 78.6	118	75.7	60.0 - 86.6	29	73.2	67.6 - 78.1	201
c.	Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	56.3	44.0 - 68.0	54	58.5	50.6 - 66.1	118	50.7	36.2 - 65.0	29	56.8	50.7 - 62.7	201
d.	Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	13.3	7.3 - 23.0	54	5.0	2.4 - 10.1	118	10.6	3.6 - 27.3	29	8.0	5.2 - 12.1	201
e.	Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	68.3	58.9 - 76.4	54	71.3	65.0 - 76.8	117	71.8	54.9 - 84.2	29	70.5	65.6 - 75.0	200
f.	Limit physical education class sizes so that they are the same size as other subject areas	56.8	45.1 - 67.8	54	67.4	58.5 - 75.2	118	70.3	58.2 - 80.1	29	65.0	58.8 - 70.8	201
g.	Have a dedicated budget for physical education materials and equipment	65.9	56.6 - 74.1	54	71.8	64.2 - 78.2	118	90.1	74.4 - 96.6	29	72.9	67.6 - 77.6	201

# 2020 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

		Hi	igh Schools		Mic	ddle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
h.	Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate	65.3	53.4 - 75.5	54	76.4	68.2 - 83.1	117	73.0	55.9 - 85.2	29	72.9	66.8 - 78.3	
i.	Include students with disabilities in regular physical education courses as appropriate	80.4 70.7 - 87.5 54		98.4	94.5 - 99.5	118	100.0	†	29	93.8	90.7 - 96.0	201	

Page 17 of 64

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

# 2020 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
46.0	34.7 - 57.6	55	72.8	65.1 - 79.3	117	65.9	47.3 - 80.7	29	64.5	58.5 - 70.1	201

## 2020 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.

H	High Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
73.0	62.1 - 81.8	55	99.1	95.0 - 99.9	117	85.6	72.9 - 92.9	28	90.1	86.4 - 92.8	200

# 2020 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

H	igh Schools		Mie	ddle Schools		Junior/Se	nior High Sch	ools	A	All Schools		
	95%			95%			95%			95%		
	Confidence Confidence						Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
80.8	71.1 - 87.9	55	82.9	76.5 - 87.8	118	83.1	66.7 - 92.4	29	82.3	77.5 - 86.3	202	

# 2020 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

		Hi	igh Schools		Mic	idle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
		95% Confidence				95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a	. Before the school day	49.2	39.5 - 58.9	55	57.9	49.6 - 65.8	117	63.9	48.3 - 77.1	29	56.4	50.5 - 62.2	201
b	. After the school day	78.4	66.5 - 86.9	55	86.9	81.3 - 91.0	118	90.3	75.3 - 96.6	29	85.1	80.4 - 88.8	202

# 2020 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

		High Schools		Mic	dle Schools			r/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Physical activity or sports facilities	63.1	52.7 - 72.4	55	59.2	52.0 - 66.0	118	65.8	48.6 - 79.7	29	61.2	55.7 - 66.5	202
b.	Kitchen facilities and equipment	22.3	14.7 - 32.4	55	16.4	11.0 - 23.6	118	40.2	25.3 - 57.1	28	21.4	16.9 - 26.8	201
c.	Gardens	15.0	7.8 - 26.8	55	13.4	9.1 - 19.4	117	17.8	7.7 - 36.0	28	14.5	10.6 - 19.5	200

# 2020 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval			N	Percent	Interval	N	Percent	Interval	N	
12.3	6.8 - 21.1	55	16.0	10.5 - 23.7	118	24.9	12.0 - 44.6	29	16.3	12.0 - 21.8	202

# 2020 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

Н	igh Schools		Mic	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
47.8	36.0 - 60.0	54	62.7	53.8 - 70.8	117	51.4	35.4 - 67.2	28	57.1	50.5 - 63.4	199

# 2020 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	iools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
100.0	†	55	93.3	88.8 - 96.1	117	96.7	83.0 - 99.4	29	95.6	92.8 - 97.4	201

## 2020 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

		Hi	igh Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	98.3	90.7 - 99.7	55	92.4	87.5 - 95.5	116	93.4	79.4 - 98.1	29	94.2	90.9 - 96.3	200
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	98.3	90.7 - 99.7	55	90.7	85.3 - 94.3	116	93.4	79.4 - 98.1	29	93.2	89.6 - 95.6	200
c.	Cigars	96.2	87.2 - 99.0	55	89.9	84.3 - 93.7	116	86.3	69.7 - 94.5	29	91.1	86.9 - 94.0	200
d.	Pipes	94.5	85.2 - 98.1	55	89.9	84.3 - 93.7	116	89.5	73.6 - 96.3	29	91.1	87.0 - 94.0	200
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	95.0	86.5 - 98.2	55	89.9	84.3 - 93.7	116	93.4	79.4 - 98.1	29	91.8	87.9 - 94.5	200

## 2020 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

		Hi	gh Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	93.3	84.2 - 97.3	54	91.4	86.2 - 94.8	114	89.5	74.6 - 96.2	29	91.7	87.7 - 94.4	197
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	93.3	84.2 - 97.3	54	89.8	84.0 - 93.6	114	89.5	74.6 - 96.2	29	90.7	86.5 - 93.6	197
c.	Cigars	91.1	80.9 - 96.1	54	89.8	84.0 - 93.6	114	82.4	65.4 - 92.1	29	89.0	84.5 - 92.3	197
d.	Pipes	89.3	78.7 - 95.0	54	89.8	84.0 - 93.6	114	85.7	69.3 - 94.1	29	89.0	84.5 - 92.4	197
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	89.8	79.7 - 95.2	54	88.9	83.0 - 93.0	114	89.5	74.6 - 96.2	29	89.3	84.8 - 92.5	197

## 2020 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

		Hi	gh Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	91.1	83.4 - 95.4	54	92.3	87.3 - 95.4	114	86.3	70.7 - 94.3	29	91.1	87.2 - 93.8	197
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	91.1	83.4 - 95.4	54	88.9	83.0 - 93.0	114	86.3	70.7 - 94.3	29	89.1	84.8 - 92.3	197
c.	Cigars	88.9	79.9 - 94.2	54	90.6	85.1 - 94.2	114	82.4	65.4 - 92.1	29	88.9	84.5 - 92.2	197
d.	Pipes	87.2	77.5 - 93.1	54	90.5	84.9 - 94.1	113	82.4	65.4 - 92.1	29	88.4	83.9 - 91.7	196
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	87.6	78.5 - 93.3	54	89.8	84.0 - 93.6	114	86.3	70.7 - 94.3	29	88.7	84.3 - 91.9	197

## 2020 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

		Hi	igh Schools		Mic	dle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	100.0	†	55	90.8	85.4 - 94.3	117	90.0	74.8 - 96.5	29	93.2	89.6 - 95.6	201
b	During non-school hours	89.3	78.6 - 95.0	55	75.9	67.9 - 82.5	116	77.9	59.9 - 89.2	28	79.9	74.1 - 84.6	199

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

# 2020 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

		Hi	gh Schools		Mic	ldle Schools			or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	95.0	86.7 - 98.3	55	89.8	84.1 - 93.6	115	89.5	73.6 - 96.3	29	91.2	87.1 - 94.1	199
b.	During non-school hours	74.5	61.5 - 84.2	55	65.6	56.6 - 73.5	113	77.9	59.9 - 89.2	28	69.8	63.3 - 75.7	196

## 2020 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

		Hi	igh Schools		Mic	dle Schools			r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	95.0	86.5 - 98.2	55	90.6	85.2 - 94.2	115	86.3	69.7 - 94.5	29	91.2	87.1 - 94.0	199
b.	During non-school hours	76.1	63.5 - 85.4	55	65.5	56.1 - 73.8	113	77.9	59.9 - 89.2	28	70.3	63.6 - 76.2	196

## 2020 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

		H	igh Schools		Mie	ddle Schools			or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	100.0	†	55	92.4	87.6 - 95.5	116	93.4	79.4 - 98.1	29	94.6	91.5 - 96.7	200
b.	Outside on school grounds, including parking lots and playing fields	100.0	†	55	92.4	87.6 - 95.5	116	93.4	79.4 - 98.1	29	94.6	91.5 - 96.7	200
c.	On school buses or other vehicles used to transport students	100.0	†	55	91.6	86.5 - 94.9	116	90.2	75.2 - 96.5	29	93.7	90.2 - 96.0	200
d.	At off-campus, school-sponsored events	98.3	90.7 - 99.7	55	90.7	85.3 - 94.2	115	87.0	71.8 - 94.6	29	92.2	88.4 - 94.8	199

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

## 2020 School Health Profiles Report Weighted Principal Survey Results

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

		Hi	igh Schools		Mic	dle Schools			or/Senior High Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	98.3	90.7 - 99.7	55	92.3	87.4 - 95.4	114	93.4	79.4 - 98.1	29	94.1	90.8 - 96.3	198
b.	Outside on school grounds, including parking lots and playing fields	95.0	86.7 - 98.3	55	91.4	86.1 - 94.8	114	93.4	79.4 - 98.1	29	92.7	89.0 - 95.2	198
c.	On school buses or other vehicles used to transport students	98.3	90.7 - 99.7	55	91.4	86.1 - 94.8	114	90.2	75.2 - 96.5	29	93.1	89.5 - 95.6	198
d.	At off-campus, school-sponsored events	96.7	88.9 - 99.1	55	87.1	80.7 - 91.6	113	80.8	64.8 - 90.6	29	88.8	84.3 - 92.1	197

## 2020 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

		H	igh Schools		Mic	dle Schools			r/Senior Hig Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	98.3	90.7 - 99.7	55	91.4	86.2 - 94.8	114	90.2	75.2 - 96.5	29	93.1	89.6 - 95.6	198
b.	Outside on school grounds, including parking lots and playing fields	94.9	86.2 - 98.2	55	89.5	83.7 - 93.5	114	90.2	75.2 - 96.5	29	91.1	87.0 - 94.0	198
c.	On school buses or other vehicles used to transport students	96.7	88.9 - 99.1	55	90.5	85.0 - 94.2	114	90.2	75.2 - 96.5	29	92.2	88.3 - 94.8	198
d.	At off-campus, school-sponsored events	89.5				63.6 - 77.7	113	73.6	55.7 - 86.1	29	76.6	71.0 - 81.3	197

# 2020 School Health Profiles Report Weighted Principal Survey Results

27N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
63.0	50.1 - 74.3	54	53.4	44.1 - 62.6	113	53.2	34.5 - 71.0	28	56.0	48.9 - 62.9	195

# **2020 School Health Profiles Report Weighted Principal Survey Results**

TOBVAPE. Percentage of schools that follow a policy that mandates a "tobacco-free environment" including prohibiting electronic vapor products. A "tobacco-free environment" is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
63.0	50.1 - 74.3	54	52.6	43.4 - 61.7	113	53.2	34.5 - 71.0	28	55.5	48.5 - 62.3	195

## 2020 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

		H	igh Schools		Mic	idle Schools			r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Foods or beverages are not offered at school celebrations	8.9	3.9 - 18.7	55	6.2	3.2 - 11.7	116	11.0	3.8 - 27.6	28	7.6	4.8 - 11.8	199
b.	Never	0.0	†	55	2.7	1.0 - 7.4	116	0.0	†	28	1.6	0.6 - 4.4	199
c.	Rarely	18.3	10.2 - 30.7	55	13.0	8.8 - 18.8	116	10.0	3.5 - 25.2	28	14.0	10.3 - 18.9	199
d.	Sometimes	45.7	35.9 - 55.8	55	46.5	38.7 - 54.5	116	49.9	35.4 - 64.4	28	46.8	41.0 - 52.6	199
e.	Always or almost always	27.2	18.6 - 37.8	55	31.5	24.6 - 39.4	116	29.2	16.9 - 45.5	28	30.0	24.8 - 35.8	199

N = Unweighted number of observations

Page 37 of 64

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent.

## 2020 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
65.6	53.7 - 75.8	55	23.8	16.9 - 32.3	116	55.4	39.5 - 70.4	29	39.9	34.0 - 46.0	200

## 2020 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		High Schools			Mid	ldle Schools		Junio	or/Senior High Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Chocolate candy	27.6	17.0 - 41.5	55	5.2	2.5 - 10.6	116	10.8	3.8 - 27.2	28	12.2	8.4 - 17.3	199
b.	Other kinds of candy	27.6	17.0 - 41.5	55	6.0	3.1 - 11.6	116	17.7	7.9 - 35.1	28	13.6	9.7 - 18.9	199
c.	Salty snacks that are not low in fat (e.g., regular potato chips)	32.8	21.4 - 46.6	55	7.9	4.6 - 13.1	116	28.9	16.7 - 45.1	28	17.7	13.4 - 23.1	199
d.	Low sodium or "no added salt" pretzels, crackers, or chips	47.3	35.7 - 59.2	55	16.9	11.4 - 24.3	116	44.0	28.1 - 61.1	28	29.1	23.9 - 35.0	199
e.	Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	36.4	25.1 - 49.5	55	8.0	4.4 - 14.3	116	29.6	16.5 - 47.1	28	18.9	14.4 - 24.4	199
f.	Ice cream or frozen yogurt that is not low in fat	13.1	7.2 - 22.6	55	1.0	0.2 - 5.5	116	7.2	2.1 - 21.6	27	5.2	3.1 - 8.5	198
g.	2% or whole milk (plain or flavored)	20.0	12.9 - 29.8	55	11.4	6.9 - 18.3	116	25.1	13.3 - 42.3	27	15.7	11.7 - 20.8	198
h.	Nonfat or 1% (low-fat) milk (plain)	29.0	19.7 - 40.4	55	15.2	9.8 - 22.9	116	33.0	19.2 - 50.7	27	21.5	16.7 - 27.3	198
i.	Water ices or frozen slushes that do not contain juice	12.6 6.3 - 23.5 55			3.4	1.4 - 8.2	116	10.9	4.0 - 26.7	28	7.0	4.4 - 11.1	199
j.	Soda pop or fruit drinks that are not 100% juice	23.7	13.9 - 37.3	55	2.6	0.9 - 7.1	116	17.4	7.8 - 34.6	28	10.5	7.1 - 15.3	199
k.	Sports drinks (e.g., Gatorade)	49.2	35.1 - 63.5	55	7.7	4.2 - 13.7	116	46.4	30.7 - 62.9	28	24.7	19.6 - 30.6	199

## 2020 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		Hi	High Schools		Mic	idle Schools		Junio	r/Senior High Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
1.	Energy drinks (e.g., Red Bull, Monster)	9.1	4.0 - 19.4	55	0.0	†	116	3.6	0.6 - 18.2	27	3.0	1.5 - 6.1	198
m.	Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	63.8	51.5 - 74.5	55	18.5	12.6 - 26.3	116	50.4	33.1 - 67.6	28	35.5	29.9 - 41.5	199
n.	Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	33.2	23.7 - 44.3	55	6.9	3.7 - 12.6	116	33.0	18.8 - 51.3	28	17.9	13.8 - 22.9	199
o.	100% fruit or vegetable juice	29.6	21.1 - 39.9	55	14.2	9.0 - 21.7	116	47.1	30.9 - 63.9	28	23.2	18.3 - 28.9	199
p.	Foods or beverages containing caffeine	16.7	10.5 - 25.6	55	0.9	0.1 - 5.0	116	28.7	16.6 - 44.8	28	9.2	6.5 - 12.9	199
q.	Fruits (not fruit juice)	33.0	23.3 - 44.4	55	9.2	5.2 - 15.6	116	33.1	20.6 - 48.5	27	19.1	14.8 - 24.2	198
r.	Non-fried vegetables (not vegetable juice)	16.4	9.0 - 28.2	55	5.6	2.7 - 11.2	116	22.2	12.8 - 35.8	27	10.9	7.6 - 15.5	198

Page 40 of 64

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

# 2020 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

		High Schools 95%		Mic	idle Schools		Junio	r/Senior Higl Schools	h	A	ll Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	9.7	4.2 - 20.6	55	10.8	6.4 - 17.8	112	12.4	4.2 - 31.1	26	10.7	7.1 - 15.8	193
b.	Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	37.5	27.0 - 49.3	55	38.1	29.9 - 47.2	113	45.2	30.4 - 60.9	27	39.0	32.8 - 45.5	195
c.	Provided information to students or families on the nutrition and caloric content of foods available	36.9	26.2 - 49.1	55	63.7	55.2 - 71.5	113	47.2	32.2 - 62.7	27	53.9	47.7 - 60.0	195
d.	Conducted taste tests to determine food preferences for nutritious items	14.9	9.3 - 23.1	55	26.4	19.6 - 34.5	113	30.6	19.0 - 45.4	27	23.8	19.1 - 29.3	195
e.	Served locally or regionally grown foods in the cafeteria or classrooms	19.5	11.6 - 31.1	55	30.1	23.5 - 37.7	112	29.8	16.1 - 48.4	27	27.1	22.0 - 32.9	194
f.	Planted a school food or vegetable garden	19.4	11.7 - 30.4	55	29.3	23.8 - 35.6	113	43.6	28.0 - 60.6	27	28.6	23.9 - 33.8	195
g.	Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	60.5	47.4 - 72.3	55	50.9	42.6 - 59.1	113	63.1	44.6 - 78.4	27	55.3	48.7 - 61.7	195
h.	Used attractive displays for fruits and vegetables in the cafeteria	49.9	39.1 - 60.8	55	59.1	50.9 - 66.9	113	47.2	31.2 - 63.9	27	54.9	48.7 - 60.9	195

# 2020 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

		Hi	gh Schools		Mic	idle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i.	Offered a self-serve salad bar to students	38.3	27.3 - 50.7	55	42.9	35.1 - 51.2	113	33.5	18.5 - 52.8	27	40.3	34.2 - 46.7	195
j.	Encouraged students to drink plain water	73.9	60.9 - 83.8	55	92.1	86.0 - 95.7	113	92.3	75.2 - 97.9	27	87.1	81.9 - 90.9	195
k	. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	35.2	25.1 - 46.7	55	35.7	28.0 - 44.2	113	23.1	12.8 - 38.0	27	33.7	28.1 - 39.9	195
1.	Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	36.3	25.6 - 48.6	55	41.1	33.4 - 49.4	112	11.8	6.7 - 20.2	27	35.6	30.0 - 41.6	194

# 2020 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

		Hi	High Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	In school buildings	58.3	46.4 - 69.3	55	70.2	61.4 - 77.7		69.4	50.4 - 83.5	27	66.7	60.2 - 72.7	195
b.	On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	54.7	42.5 - 66.4	55	67.4	59.0 - 74.9	113	65.8	47.0 - 80.7	27	63.7	57.2 - 69.7	195
c.	On school buses or other vehicles used to transport students	56.5	43.0 - 69.1	55	73.2	64.9 - 80.1	112	69.4	50.4 - 83.5	27	68.0	61.4 - 73.9	194
d.	In school publications (e.g., newsletters, newspapers, web sites, other school publications)	54.6	42.5 - 66.2	55	69.5	61.0 - 76.9	111	54.7	37.7 - 70.6	27	63.2	56.7 - 69.2	193
e.	In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	52.5				56.0 - 73.4	111	69.6	50.6 - 83.7	27	62.3	55.6 - 68.5	193

## 2020 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

		Hi	igh Schools		Mid	dle Schools	;	Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence	<b>:</b>		95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Yes, in all locations	92.9	83.5 - 97.1	55	100.0	†	115	96.5	81.4 - 99.4	28	97.5	94.6 - 98.9	198
b.	Yes, in certain locations	5.4	1.9 - 14.6	55	0.0	†	115	3.5	0.6 - 18.6	28	2.0	0.8 - 4.8	198
c.	No	1.7	0.3 - 9.0	55	0.0	†	115	0.0	†	28	0.5	0.1 - 2.6	198

Page 44 of 64

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

## 2020 School Health Profiles Report Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

H	ligh Schools		Mid	dle Schools		Junior/Se	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.3	91.0 - 99.7	55	100.0	†	115	100.0	†	28	99.5	97.4 - 99.9	198

# 2020 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.\*

		Hi	igh Schools		Mic	idle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cafeteria during breakfast	96.2	87.5 - 98.9	49	99.1	94.9 - 99.9	107	91.9	74.0 - 97.8	23	97.4	94.3 - 98.8	179
b.	Cafeteria during lunch	96.2	87.5 - 98.9	49	98.2	93.9 - 99.5	107	91.9	74.0 - 97.8	23	96.9	93.6 - 98.5	179
c.	Gymnasium or other indoor physical activity facilities	96.0	86.9 - 98.9	45	99.1	94.6 - 99.8	108	92.4	76.8 - 97.8	27	97.3	94.1 - 98.8	180
d.	Outdoor physical activity facilities or sports fields	92.1	81.8 - 96.8	48	92.1	85.9 - 95.7	114	84.4	66.0 - 93.8	25	91.1	86.4 - 94.2	187
e.	Hallways throughout the school	96.6	88.5 - 99.0	53	96.3	91.3 - 98.5	109	96.6	81.6 - 99.4	27	96.4	93.1 - 98.2	189

<sup>\*</sup>Among schools with that location.

# 2020 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Sci	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
47.9	38.6 - 57.3	55	48.1	40.6 - 55.7	115	48.8	36.1 - 61.7	28	48.2	42.7 - 53.6	198

# 2020 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Sci	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
21.8	14.8 - 31.0	54	18.5	13.0 - 25.7	114	27.7	15.9 - 43.7	28	20.8	16.4 - 25.9	196

# 2020 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
33.4	22.7 - 46.1	7 - 46.1 55 27.3 19.9 - 36.2				23.1	12.2 - 39.3	27	28.4	22.7 - 34.9	197

# 2020 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

		Hi	gh Schools		Mid	dle Schools			r/Senior Hig Schools	h	A	ll Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	HIV testing	1.7	0.3 - 9.4	54	0.0	†	115	0.0	†	27	0.5	0.1 - 2.7	196
b.	HIV treatment (ongoing medical care for persons living with HIV)	3.6	1.0 - 12.0	55	0.0	†	115	0.0	†	27	1.0	0.3 - 3.4	197
c.	STD testing	1.7	0.3 - 9.4	54	0.0	†	115	0.0	†	27	0.5	0.1 - 2.7	196
d.	STD treatment	0.0	†	53	0.0	†	115	0.0	†	27	0.0	†	195
e.	Pregnancy testing	5.1	1.8 - 13.8	54	0.0	†	115	3.7	0.6 - 19.6	26	1.9	0.8 - 4.6	195
f.	Provision of condoms	5.1	1.8 - 13.8	54	0.0	†	115	0.0	†	26	1.4	0.5 - 3.9	195
g.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	1.7	0.3 - 9.4	54	0.0	†	114	0.0	†	27	0.5	0.1 - 2.7	195
h.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	1.7	0.3 - 9.4	54	1.0	0.2 - 5.5	115	0.0	†	27	1.0	0.3 - 3.6	196
i.	Prenatal care	0.0	†	54	0.0	†	115	0.0	†	27	0.0	†	196

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent.

## 2020 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

		Hi	gh Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
		_	95% Confidence		_	95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
j.	Human papillomavirus (HPV) vaccine administration	3.5	1.0 - 11.7	55	3.4	1.4 - 8.0	115	0.0	†	27	2.9	1.4 - 5.9	197
k.	Assessment for alcohol or other drug use, abuse, or dependency	11.0	5.2 - 21.9	55	15.9	10.6 - 23.1	115	18.4	7.9 - 37.0	27	14.9	10.8 - 20.3	197
1.	Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	70.3	58.4 - 79.9	55	84.1	76.7 - 89.5	115	78.4	60.4 - 89.7	27	79.5	73.8 - 84.2	197
m	Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	47.5	34.8 - 60.5	55	67.1	59.2 - 74.2	115	74.8	54.9 - 87.9	27	62.8	56.4 - 68.8	197
n.	Case management for students with chronic health conditions (e.g., asthma, diabetes)	59.7	48.1 - 70.3	55	61.4	53.1 - 69.1	115	71.6	56.2 - 83.2	27	62.4	56.3 - 68.1	197

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

## 2020 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		H	igh Schools		Mid	ldle Schools		Junio	or/Senior High Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	HIV testing	34.7	22.4 - 49.5	46	4.5	2.0 - 9.8	106	23.9	10.8 - 44.7	25	15.1	10.8 - 20.7	177
b.	HIV treatment (ongoing medical care for persons living with HIV)	45.2	32.6 - 58.4	55	11.8	7.5 - 18.2	114	29.1	15.8 - 47.3	27	23.5	18.6 - 29.3	196
c.	nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	41.7	29.4 - 55.1	55	11.7	7.4 - 18.1	115	17.9	7.7 - 36.2	27	20.9	16.2 - 26.5	197
d.	PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)	41.7	29.4 - 55.1	55	11.7	7.4 - 18.1	115	17.9	7.7 - 36.2	27	20.9	16.2 - 26.5	197
e.	STD testing	35.6	23.0 - 50.7	45	4.6	2.1 - 10.0	104	23.9	10.8 - 44.7	25	15.4	11.0 - 21.1	174
f.	STD treatment	35.6	23.0 - 50.7	45	4.6	2.1 - 10.0	104	23.9	10.8 - 44.7	25	15.4	11.0 - 21.1	174
g.	Pregnancy testing	36.5	23.4 - 51.9	44	4.6	2.1 - 10.0	104	32.2	15.7 - 54.6	25	16.7	12.1 - 22.7	173

## 2020 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		Hi	gh Schools		Mic	ldle Schools		Junio	r/Senior Higi Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
h.	Provision of condoms	28.3	16.8 - 43.5	46	4.5	2.0 - 9.6	108	19.4	8.3 - 39.0	25	12.7	8.7 - 18.1	179
i.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	27.6	16.4 - 42.5	47	4.5	2.0 - 9.6	108	19.4	8.3 - 39.0	25	12.6	8.6 - 17.9	180
j.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	30.4	19.1 - 44.7	46	4.5	2.0 - 9.6	108	19.4	8.3 - 39.0	25	13.2	9.3 - 18.4	179
k.	Prenatal care	37.5	24.3 - 52.9	45	4.5	2.0 - 9.8	106	23.9	10.8 - 44.7	25	15.7	11.3 - 21.4	176
1.	Human papillomavirus (HPV) vaccine administration	45.2	32.6 - 58.4	55	13.4	8.7 - 20.1	115	21.5	9.9 - 40.7	27	23.3	18.3 - 29.2	197
m	. Alcohol or other drug abuse treatment	61.7	48.0 - 73.7	55	20.8	14.9 - 28.1	115	55.9	40.0 - 70.7	27	37.0	31.5 - 43.0	197

## 2020 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

H	igh Schools		Mie	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
46.0	35.6 - 56.9	54	55.1	45.6 - 64.3	114	54.7	41.7 - 67.0	27	52.6	46.0 - 59.0	195

## 2020 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

		Hi	igh Schools		Mic	ldle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
		Donoont	95% Confidence	NT	Domoont	95% Confidence	NT	Donoant	95% Confidence	N	Domonat	95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Asthma	91.2	81.1 - 96.1	55	90.5	84.2 - 94.5	115	93.0	77.5 - 98.1	27	91.1	86.6 - 94.2	197
b.	Food allergies	89.5	79.1 - 95.1	55	93.9	88.3 - 96.9	115	93.0	77.5 - 98.1	27	92.6	88.3 - 95.3	197
c.	Diabetes	89.4	78.8 - 95.0	55	84.7	77.6 - 89.8	115	93.0	77.5 - 98.1	27	87.2	82.2 - 90.9	197
d.	Epilepsy or seizure disorder	89.4	78.9 - 95.0	55	85.6	78.2 - 90.7	115	89.6	73.1 - 96.5	27	87.2	82.0 - 91.0	197
e.	Obesity	35.2	24.5 - 47.5	55	31.7	25.1 - 39.1	115	21.8	11.7 - 37.0	27	31.2	26.0 - 37.0	197
f.	Hypertension/high blood pressure	68.1	55.9 - 78.3	55	57.6	49.6 - 65.2	115	66.7	51.5 - 79.1	27	61.8	55.7 - 67.5	197
g.	Oral health condition (e.g., abscess, tooth decay)	42.6	30.5 - 55.5	55	49.4	41.9 - 56.9	115	29.3	16.5 - 46.4	27	44.7	38.7 - 50.8	197

# 2020 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

		Hi	igh Schools		Mic	ldle Schools			r/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Asthma	39.8	28.6 - 52.1	55	36.0	29.0 - 43.7	115	36.5	19.5 - 57.6	27	37.1	31.2 - 43.4	197
b.	Food allergies	39.8	28.6 - 52.1	55	33.5	26.5 - 41.4	115	32.8	17.2 - 53.5	27	35.1	29.3 - 41.4	197
c.	Diabetes	41.4	29.8 - 54.0	55	34.3	27.4 - 42.0	115	36.5	19.5 - 57.6	27	36.6	30.7 - 42.9	197
d.	Epilepsy or seizure disorder	38.0	27.3 - 50.0	55	33.5	26.4 - 41.4	115	36.5	19.5 - 57.6	27	35.2	29.3 - 41.5	197
e.	Obesity	38.0	27.3 - 50.0	55	27.3	21.6 - 34.0	115	21.5	9.9 - 40.7	27	29.5	24.4 - 35.0	197
f.	Hypertension/high blood pressure	38.0	27.3 - 50.0	55	30.1	23.1 - 38.2	115	29.3	14.5 - 50.1	27	32.2	26.5 - 38.5	197
g.	Oral health condition (e.g., abscess, tooth decay)	45.0	33.9 - 56.6	55	37.7	30.2 - 45.9	115	28.7	14.7 - 48.5	27	38.5	32.5 - 44.7	197

## 2020 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

		Hi	igh Schools		Mic	dle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	This school does not provide any sexual or reproductive health services	79.0	68.7 - 86.5	52	88.9	82.1 - 93.3	114	83.4	62.9 - 93.7	25	85.5	80.3 - 89.4	191
b.	Parental consent is required before any sexual or reproductive health services are provided	17.5	11.1 - 26.7	52	11.1	6.7 - 17.9	114	8.3	2.2 - 26.6	25	12.5	8.9 - 17.2	191
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	0.0	†	52	0.0	†	114	4.4	0.7 - 23.1	25	0.6	0.1 - 3.5	191
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	1.7	0.3 - 9.8	52	0.0	†	114	0.0	†	25	0.5	0.1 - 2.7	191
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	0.0	†	52	0.0	†	114	3.8	0.6 - 20.3	25	0.5	0.1 - 3.0	191
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	1.7	0.3 - 9.8	52	0.0	†	114	0.0	†	25	0.5	0.1 - 2.7	191

N = Unweighted number of observations

Page 57 of 64

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent.

## 2020 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

		H	igh Schools		Mic	ddle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
			95%			95%			95%			95%	
			Confidence			Confidence		_	Confidence		_	Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	This school does not refer any sexual or reproductive health services	51.3	36.6 - 65.9	43	88.5	82.0 - 92.8	102	61.9	39.9 - 79.9	24	75.3	68.9 - 80.7	169
b.	Parental consent is required before any sexual or reproductive health services are referred	30.4	19.5 - 44.0	43	10.6	6.5 - 16.9	102	25.4	12.6 - 44.7	24	17.8	13.3 - 23.3	169
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	0.0	†	43	0.0	†	102	4.6	0.7 - 23.8	24	0.7	0.1 - 3.9	169
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	9.3	3.7 - 21.4	43	0.9	0.1 - 5.0	102	4.0	0.6 - 21.0	24	3.4	1.7 - 7.0	169
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	4.4	1.2 - 14.8	43	0.0	†	102	0.0	†	24	1.1	0.3 - 3.8	169
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	4.5	1.3 - 14.3	43	0.0	†	102	4.1	0.7 - 21.3	24	1.7	0.6 - 4.7	169

N = Unweighted number of observations

Page 58 of 64

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent.

## 2020 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

		Hi	gh Schools		Mid	ldle Schools		Junio	r/Senior Higi Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies	24.8	16.1 - 36.2	55	7.8	4.3 - 13.8	114	22.5	10.6 - 41.6	26	14.6	10.6 - 19.6	195
b.	Sexual health services that adolescents should receive	15.9	8.6 - 27.6	55	5.2	2.5 - 10.6	114	19.0	8.2 - 38.1	26	10.1	6.7 - 14.9	195
c.	Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	33.2	23.9 - 44.0	54	10.5	6.5 - 16.6	114	15.3	6.0 - 33.5	26	17.4	13.4 - 22.3	194
d.	Importance of maintaining student confidentiality for sexual health services	42.2	30.8 - 54.4	54	20.9	15.3 - 27.9	114	30.4	15.5 - 51.0	26	28.1	22.8 - 34.0	194
e.	How to create or use a student referral guide for sexual health services	9.1	4.0 - 19.4	54	3.3	1.7 - 6.2	114	11.5	4.0 - 28.8	26	6.0	3.7 - 9.6	194
f.	How to make successful referrals of students to sexual health services	13.2	7.3 - 22.8	54	4.1	2.2 - 7.6	114	11.5	4.0 - 28.8	26	7.6	5.1 - 11.3	194
g.	Best practices for adolescent sexual health services provision, such as making services youth-friendly	20.3	12.2 - 31.6	54	1.6	0.5 - 5.6	114	11.5	4.0 - 28.8	26	8.1	5.3 - 12.2	194
h.	Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	24.2	15.8 - 35.3	54	6.8	3.9 - 11.8	114	11.5	4.0 - 28.8	26	12.3	8.9 - 16.7	194

# 2020 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

		Hi	gh Schools		Mic	ldle Schools		Junio	r/Senior High Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Provided parents with information to support parent-adolescent communication about sex	14.9	8.5 - 25.0	54	15.9	10.5 - 23.3	114	19.5	10.4 - 33.7	26	16.2	12.0 - 21.3	194
b.	Provided parents with information to support parent-adolescent communication about topics other than sex	29.6	19.4 - 42.5	54	30.5	23.0 - 39.2	114	39.6	24.0 - 57.7	26	31.5	25.6 - 38.1	194
c.	Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	31.4	20.2 - 45.3	54	33.7	25.8 - 42.6	114	35.3	21.4 - 52.3	26	33.3	27.1 - 40.0	194
d.	Provided parents with information to support one-on-one time between adolescents and their health care providers	19.0	10.5 - 32.1	54	10.5	6.5 - 16.5	114	15.8	6.3 - 34.3	26	13.5	9.6 - 18.8	194
e.	Provided parents with information about physical education and physical activity programs	39.2	27.8 - 52.0	54	55.9	47.5 - 63.9	114	34.2	20.1 - 51.8	26	48.3	42.0 - 54.6	194
f.	Involved parents as school volunteers in the delivery of health education activities and services	18.3	10.2 - 30.7	54	19.7	14.2 - 26.8	114	27.3	14.0 - 46.5	26	20.4	15.7 - 26.0	194
g.	Involved parents as school volunteers in physical education or physical activity programs	24.4	14.6 - 37.8	54	33.6	26.7 - 41.2	113	30.9	17.4 - 48.8	26	30.7	25.2 - 36.7	193

# 2020 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

		High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
		95% Confidence			95% Confidence			95% Confidence			95% Confidence		
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
h.	Linked parents and families to health services and programs in the community	62.7	50.4 - 73.5	54	62.6	53.9 - 70.6	114	61.5	44.4 - 76.2	26	62.5	56.0 - 68.6	194
i.	Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	24.5	14.4 - 38.6	54	30.9	24.5 - 38.1	114	38.3	21.5 - 58.6	26	30.2	24.7 - 36.4	194
j.	Provided parents with information about before- or after-school programs available in the community	46.5	33.5 - 59.9	54	66.2	58.0 - 73.5	114	53.9	36.3 - 70.7	26	59.1	52.6 - 65.2	194

# 2020 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

		High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
		95% Confidence Percent Interval N		95% Confidence Percent Interval N			95% Confidence Percent Interval N			95% Confidence Percent Interval N			
a.	Service-learning programs, that is, community service designed to meet specific learning objectives	72.3	60.6 - 81.6		49.7	41.9 - 57.5		67.5	50.8 - 80.7	26	58.4	52.4 - 64.2	-,
b.		47.8	33.9 - 62.1	54	24.5	18.0 - 32.6	114	51.1	34.0 - 67.9	26	34.6	28.5 - 41.3	194

# 2020 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

		High Schools		Middle Schools			Junior/Senior High Schools			All Schools			
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Service-learning programs, that is, community service designed to meet specific learning objectives	58.9	45.6 - 71.0	54	37.6	29.9 - 45.9	114	59.7	43.5 - 74.0	26	46.5	40.3 - 52.9	194
b.	Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	47.8	34.3 - 61.6	54	25.6	18.7 - 34.1	113	54.8	40.3 - 68.5	26	35.8	29.8 - 42.4	193

# 2020 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

H	igh Schools		Mie	ddle Schools		Junior/Se	enior High Scl	A	All Schools				
	95%			95%			95%	95%					
	Confidence			Confidence			Confidence		Confidence				
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N		
31.9	20.3 - 46.4	54	24.6	18.5 - 32.0	114	30.7	16.8 - 49.4	26	27.5	22.0 - 33.7	194		